SOW-00-8474-09856A-2/1

Date: 1 October 1999

#### STATEMENT OF WORK (SOW) FOR THE

Inspect Repair Only As Necessary (IROAN)
Sensor Mobile Monitor System (SMMS) AN/MSC-77
NSN 6350-01-382-1826
P/N 87001B0000; CAGE 01365

B. (BUFF) ASKEY

**Equipment Specialist** 

Elec/Sensor Section (Code 847-4)

MCLB, Albany, GA

E. POWELL

Inventory Manager

Elec/Sensor Section (Code 847-4)

MCLB, Albany, GA

PHYLLIS W. SPIVEY

Weapon System/Equipment Manager Elec/Sensor Section (Code 847-4)

MCLB, Albany, GA

#### **TABLE OF CONTENTS**

Paragraph	Title	Page
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Military Specifications	1
2.3	Industry Standards	1
2.4	Other Government Documents and Publications	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I - Pre-Induction	3
3.2.1.1	HMMWV Pre-Induction	3
3.2.1.2	Shelter Pre-Induction	2 2 2 3 3 3
3.2.2	Phase II - Repair	3
3.2.2.1	HMMWV Repair	3
3.2.2.2	Shelter Repair	3
3.2.2.3	Technical Manuals	3
3.2.3	Phase III - Inspection, Testing and Acceptance	3
3.2.4	Phase IV - Packaging, Handling, Storage and Transportation (PHS & T)	4
3.3	Government Furnished Equipment (GFE)/Government Furnished Materie	1
	(GFM)	4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Repairable Item Inspection Report	5
4.3	Monthly Progress Report	5
A mm am diss		

#### Appendix

A	DA Form 2404 (1 Apr 79)
В	Standard Form 364 (Rev. 2-80)

# STATEMENT OF WORK (SOW) FOR THE Inspect Repair Only As Necessary (IROAN) Sensor Mobile Monitor System (SMMS) AN/MSC-77 NSN 6350-01-382-1826 P/N 87001B0000; CAGE 01365

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor in the IROAN of the Sensor Mobile Monitor System (SMMS) AN/MSC-77, NSN 6350-01-382-1826; hereafter referred to as the SMMS. The SMMS IROAN components are the AN/USQ-126 Sensor Monitor System shelter mounted on a High Mobility Multi-purpose Wheeled Vehicle (HMMWV). This document contains requirements to restore the SMMS to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than 6 months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "that maintenance technique which determines the minimum repairs necessary to restore equipment, components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents.</u> The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

#### 2.1 Military Standards

MIL-STD-129

DoD Standard Practice for Military Marking

#### Military Standards (For Guidance Only)

MIL-STD-973

Configuration Management

2.2 Military Specifications

MIL-DTL-55507

Shelter, Electrical Equipment (with or without

Equipment), Packaging of

2.3 <u>Industry Standards</u>

ANSI/EIA-625

Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9001-1994

**Quality Systems** 

# 2.4 Other Government Documents and Publications: The issues of those documents cited below shall be used.

TM 09856A-10/1	Components List
TM 09856A-24&P/2	Maintenance Instructions With Parts Breakdown
TM 10-5411-224-14	Operator's, Unit, Direct Support & General Maintenance for Lightweight Multipurpose Shelters Model No. S-788/G Type III
SOW-835-2-08770A-2/1	IROAN SOW for HMMWV Series Trucks dtd 1 Aug 98
87001B1000	Technical Data Package
DoD 4000.25-1-M	MIL STRIP Manual
NAVICPINST 4491.2A	Requisitioning of Contractor furnished Materiel from the Federal Supply System

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (Attn: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6773 or DSN 567-6773. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, ATTN: (Code 825-2), 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

#### 3.0 Requirements

- 3.1 <u>General Tasks:</u> In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test the SMMS weapon system. Upon completion of repairing the subject item it shall be Condition Code "A".
- 3.2 <u>Detail Tasks:</u> The following tasks describe the different phases for repair of the SMMS weapon system.

Phase I Pre-Induction

Phase II Repair

Phase III Inspection, Testing and Acceptance
Phase IV Preparation for Shipment and/or Storage

- 3.2.1 <u>Phase I Pre-Induction:</u> Within five working days of inducting the SMMS into the contractor's facility the Sensor Monitor System shelter shall be removed from the HMMWV. Both systems will be evaluated for repair capability.
- **3.2.1.1** <u>HMMWV Pre-Induction:</u> The HMMWV pre-induction process will be in accordance with SOW-835-2-08770A-2/1.
- 3.2.1.2 Shelter Pre-Induction A pre-induction inspection analysis shall be performed for each Sensor Monitor System (SMS) shelter for evaluation of repair capability. If repair is not feasible, assign condition code H, notify Marine Corps Logistics Base, Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. Report DA-2404 (Appendix A) and Standard Form 364 (Appendix B) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- 3.2.2 <u>Phase II Repair:</u> After pre-induction tests and inspections have been completed, repair of the SMMS weapon system shall be accomplished as two separate items, vehicle and shelter.
- **3.2.2.1** <u>HMMWV Repair:</u> The vehicle shall be processed in accordance with the Phase II IROAN paragraph of SOW-835-2-08770A-2/1.
- 3.2.2.2 Shelter Repair: After pre-induction tests and inspections have been completed, IROAN of the Sensor Monitor System shelter in accordance with this SOW, technical manual TM 10-5411-224-14 and technical data package 87001B1000. Deficiencies noted on the Pre-Induction Checklist shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.
- **3.2.2.3** <u>Technical Manuals:</u> Technical manuals TM 09856A-10/1 and TM 09856A-24&P/2 shall be used to assist the contractor.

#### 3.2.3 Phase III - Inspection, Testing and Acceptance

- a. Inspection, Testing and Acceptance of the HMMWV shall be conducted in accordance with SOW-835-2-08770A-2/1.
- b. Inspection, Testing and Acceptance of the Sensor Monitor System shelter shall be in accordance with the documents and TM's listed in section 2.4.
- c. The Sensor Monitor System shelter will be mounted to the HMMWV in accordance with TM 09856A-24&P/2.
- d. Inspection, Testing and Acceptance of the SMMS shall be in accordance with TM 09856A-24&P/2
- e. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 847-4), Albany, GA representatives may require the Contractor

to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

#### 3.2.4 Phase IV - Packaging, Handling, Storage and Transportation (PHS&T)

- a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Preservation and packaging shall be level "A" in accordance with MIL-DTL-55507.
  - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for shipment to the pre-designated site. The Marine Corps will be responsible for transportation costs associated with shipping the equipment to and from the contractor.
- GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production not incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA/G316-2), Marine Corps Logistic Bases, Albany, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.
- 3.4 <u>Contractor Furnished Materiel.</u> The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the Contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program:</u> The contractor shall establish, implement and document an ESD control program following the guidelines provided in EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-1994, Quality Systems Model for Quality Assurance in Design, development, Production, Installation, and Servicing. The program shall ensure quality throughout all areas to include design, fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for

performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- 3.7 <u>Acceptance:</u> The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.
- 3.8 <u>Rejection:</u> Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 847-4, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 3.9 <u>Configuration Control:</u> The baseline configuration for the SMMS weapon system has been established in the Technical Manual's and the Technical Drawing Package, 87001B1000. Deviation from the established baseline configuration will not be allowed without the approval in writing of the Weapon System/Equipment Manager (Code 847-4). All proposed permanent changes to the fit, form or function of the baseline, shall require an Engineering Change Proposal using MIL-STD-973, paragraph 5.4.2 and appendix "D" as a guide. If necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation/Request for Waiver using MIL-STD-973, paragraph 5.4.3 or 5.5.4 and subparagraphs and Appendix "E", as a guide.

#### 4.0 Reports

- 4.1 <u>Pre-Induction Checklist:</u> The Contractor shall complete the Pre-Induction Inspection checklists, HMMWV and SMS shelter, for each SMMS repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 847-4) Albany, Georgia, after final acceptance of the SMMS weapon system.
- **4.2** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each SMMS weapon system. The report shall be identified by United States Marine Corps Serial Number.
- **4.3** Monthly Progress Reports: The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the SMMS IROAN Program.

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-8188), 1215 Justineson Devis Highway, Suite 1204, Arfington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of lew, no person shall be subject to any penelty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DD NOT RETURN your form to the above address. Sand completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXXIBI	T	C. CATEGORY:	TM OTHE	×				ļ ļ
D. SYSTEM/ITEM		<u> </u>	E. CONTRACT/PR		F. CONTR					
	MS, AN/MSC-77					·				l
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		<u>'</u>		3. SUBTITLE		٠			17. PRICE GRO
A001	Contractor's Pr	naress S	Status and Ma	nagement Ren	ort					
AUU1  4. AUTHORITY (Date Acqui	1	ogicss, o	5. CONTRACT REFEREN			S. REQUIRING OFFICE		···		18. ESTIMATE
	-MGMT-80227			SOW 4.3		MCLB	A (847)	)		† TOTAL PRI
7. DD 256 REQ	9. DIST STATEMENT	10. FREGUEN		12. DATE OF FIRST SUE		14. DISTRIBUTION	-			
LT	REQUIRED		ATHLY	See B		_		b. COPIES		
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQUE		■ ADDRESSEE	Draft		nal .	
		<u> </u>		See B	lk 16	MCI DA (947.4)		Reg 1	Repro	
18. REMARKS	D. 1. (C) (T) 0000	<b>-</b> 11	Dolote and		~ 10.2h	MCLBA (847-4) MCLBA (891)	0		0	
Blk 4 - Tailor   10.3i, 10.3i,	DI-MGMT-8022 10.3k, and 10.3n.	7 as folio	ws: Delete par	ragrapus 10.5	g, 10.311,	MCLDA (691)	<del>                                     </del>	-		
month. Initial	reporting period s submission shall	be 60 DA	C.							1
Blk 13 - Subs	equent submission	s shall be	e 10 days after	the last busin	ess day of					1
each month.	•		·				<u> </u>			I
		L 28 ' "	Ammar-a E	or muhlic	relesco		<del></del>			1
Distribut	ion Statemen	CA: A	Approved r	or bubile	Terease!		-			
distribut	ion is unlim	itea.								
							+		<del> </del>	
							1		<u></u>	
										1.
										<u> </u>
										]
										1'.
							<b>_</b>			<u> </u>
							-		-	<b>.</b> .
							<del>  .</del>	<u> </u>	-	<b> </b>
							<del> </del> -	<del> </del>	┼	1
										1;
i			•				_		†	1 '
										1
										] [
										1
									ļ	1
								<del> </del>		41
									<del> </del>	<b>-</b>   1
							-	+		- 1
1							+	+	<del> </del>	1
							+	<del>                                     </del>	+	<b>+</b>
							<del>                                     </del>			11
!										]
1										]
										<u> </u>
						15. TOTAL	<b>)</b> (		0	<b>_</b>
G. PREPARED BY	isky		H. DATE	99 1. APPRO	OVED BY		J. DA	ΓE		1
<i> </i> K	116		7170W	99 40	Plowe	rs)	01	Xin 9	aa	1
レイン・し	MARL		10,00	$'$ $\mid$	79	Λ	MY	XID	17	<u>.</u> (

DD FORM 1423-1, AUG 96 (EG)

(1 Data Item)

Form Approved

OMB No. 0704-0188

Designed using Perform Pro, WHS/DIDR, Aug 96

The public reporting burden for this collection of information is astimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other sequences described in formation fundamental suggestions for reducing suggestions for reducing

A. CONTRACT LINE IT	TEM NO.	B. EXHIBIT		C. CATEGORY:		×				I
D 040TP144TP14		<u> </u>	E. CONTRACT/PR	TDP TM	F. CONTRA					1
D. SYSTEM/ITEM SMM	S, AN/MSC-77		E. GUNINAGIJENI	iu.	r. Comin	COTON				 
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PAICE GROUP
B001	Renai	irable Iter	m Inspection I	Report						1
4. AUTHORITY (Data Acquisit	-	rable res	B. CONTRACT REFEREN			8. REQUIRING OFFICE				18. ESTIMATED
	-ILSS-80386			SOW 4.2		MLCBA	A (847)	)		TOTAL PRICE
	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISSI		14. DISTRIBUTION				; <b>1</b> 
LT 8. APP CODE		11. AS OF OAT	SREQ	See Blk 1	0		<u> </u>	b. COPIES		
8. APP GUDE		II. AS UF UA	i E	submission See Blk 1	6	a. Adoressée	Draft	Reg	Repre	İ
18. REMARKS		<u> </u>		Sec Bik I	<u> </u>	MCLBA (847-4)	0	1	0	1
Blk 10 - A sepa	arate report shall	be submi	tted for each S	SMMS repaired.						1
_	Submit report by each SMMS.				fter					
. · ·	ts shall be provid						ļ			1
•	- -		-							
Distributi	on Statement	A: A	pproved fo	or public rei	Lease;					
distribution	on is unlimi	ted.								1
							ļ	,-	~	1
							1			
										! 
							<u> </u>			
							-			T
										j
								· · · -		. 1
-								<u> </u>		<b>l</b> '.
			·							i
										. 1
								<u> </u>	ļ	. 1
							<del> </del>			
										]   
								ļ	<u> </u>	ľ
Į										
							+		<del> </del>	İ
										11
										]
							-	<del> </del>	-	<b> </b>
							+	+	-	ľ
						15. TOTAL	. 0	1	0	1
G. PREPARENTRY			H. DATE	I. APPROVED		t	J. DAT			1
<i>I</i> 15.	lesken		29 JUN9	og gru	MSpe	way	al.	Tun	90	1 .
DD FORM 1423-	1. AUG 96 (EG)			REVIOUS EDITION MAY B		- <del>()</del>	Page _	of	Page	1 <sup>[</sup>

(1 Date Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and meintening the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suita 1204, Arisington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any panelly for failing to comply with a collection of information if it does not display a currently veild OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the observed of the control number.

A. CONTRACT LINE IT	FEM NO.	B. EXHIBIT		C. CATEGORY:	OTHER	X				
D. SYSTEM/ITEM SMM	S, AN/MSC-77	<u> </u>	E. CONTRACTIF		F. CONTRA					 
. DATA ITEM NO.	2. TITLE OF DATA ITEM		<del></del>		3. SUBTITLE					17, PRICE
G001	En	-!	Changa Dr	-maga1		Configuration Ma	nageme	nt		
COO1		gmeering	Change Pro	_		6. REQUIRING OFFICE	uiageiik	-11t	I	18. ESTIM
	MAN-80639B		2.000	SOW 3.9		ľ	A (825)	)	1	TOTAL
7. DD 250 REQ	8. DIST STATEMENT	10. FREQUEN		12. DATE OF FIRST SUBMIS		14. DISTRIBUTION				
LT	REQUIRED	1	ASREQ	See Blk	16			b. COPIES		
B. APP CODE		11. AS OF DA	TE.	13. DATE OF SUBSECUENT WOISSIMBUS		. ADDRESSEE	Draft		inal	! 
I S. REMARKS	<u>A</u>					MCI DA (925.2)	0	Reg 1	Repro	, 
	ctor format is aut	horizad				MCLBA (825-2)	+ •		<del>                                     </del>	
			for all propo iguration ite	sed changes which m.	1					 
Upon receipt by determined with	y the Governmen hin 30 calendar o	nt, ECPs : lays.	shall be revi	ewed and dispositi	on					<b> </b> 
	submitted in hard								<del>                                     </del>	I I
Distribution Sta	atement A: Appi	roved for	public relea	se, distribution is	unlimited.					! 
									<u> </u>	
							-		<del></del>	i
							+	1	1	1
							<del></del>			
									<del>                                     </del>	l E
									<del>  </del>	i i
										, 
							<del> </del>			
										1
									<u> </u>	]
							-			
									<del>                                     </del>	!
										ì
										1
										i I
							1	ļ	┼	1
							<del>- </del>	1	+	1
							+	<u> </u>		1
								1		l
										1
								-		1
								<del>                                     </del>	+	1
O DOCK LOCK BY	<del>-</del> · ·		U BATE	1. APPROVED	RY	15. TOTAL	<u> </u>		1 0	1
G. PREPARED BY	0.0		H. DATE	I. APPROVED			J. UA	-		1
$\mathcal{A}_{-}$	1000	•	15/1	99 /	WS#	ruers	21	Tim	00	I i
DD FORM 1423-	1, AUG 96 (EG)		1, -, ,	PREVIOUS EDITION MAY	DE LICED	<del>- ( / </del>	Page		Pages	1

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing date sources, gethering and maintaining the date needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington 1999, Select 1904, Arington, VA 22202-4302. Respondents should be ewere that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number.

to the Government Issuing Contracting Offic	er for the Contract/PR No. listed in B	lock E.						
A. CONTRACT LINE ITEM NO.	B. EXHIB	ıT	C. CATEGORY:	OTHER	X	<del></del>		_
D. SYSTEM/ITEM SMMS, AN	/MSC-77	E. CONTRACT/P	R NO.	F. CONTRA	CTOR			
	F DATA ITEM		-	1. SUBTITLE	····			$\neg \uparrow$
C002	Reques	t For Deviation	n		Configuration Man	nageme	nt	
. AUTHORITY (Data Acquisition Document		S. CONTRACT REFER			E, REQUIRING OFFICE			
DI-CMAN			SOW 3.9		MCLBA	A (825)		
7. DD 250 REQ S. DIST ST	)		12, DATE OF FIRST SUBMISS		14. DISTRIBUTION			
LT		ASREQ	SEE BLK	10	Į		b. COPIES	
. APP CODE	11. AS OF D	ATE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft	Fin	-
• BENJARMS	A		1		MCI DA (005 0)		Reg 1	Repro
e. remarks Blk 4 - Contractor for	rmat is authorized.				MCLBA (825-2)	0	T	0
Blks 10 & 12 - RFDs onconforming mater locumentation.	shall be submitted ial which does not	to obtain aut meet prescrib	horization to delive bed configuration	er				
RFDs will be reviewe eceipt by the Govern	ed and disposition innent.	determined wi	ithin 30 calendar d	ays upon				·
RFDs shall be submit	ted on a 3.5" disk	in ASCII forr	mat.			-		
•								
Distribution Statemen	it A: Approved fo	r public releas	se, distribution is u	ınlimited			_	
						<del> </del>		$\vdash$
						-		
						<b>-</b>		$\vdash \vdash \vdash$
						<del>                                     </del>		
						<del> </del>		
						1		
								]
•								<b> </b>
						ļ		<u> </u>
						<del></del>		
						+		$\vdash$
						+		+
						+		$\vdash$
						-		
							<del></del>	
					15, TOTAL	- 0	1	0
G. PREPARED BY	<u>.                                    </u>	H. DATE	I. APPROVED	BY		J. DAT		
	0,00.	15/2	99 8	Pris	privers	BU	Tin	99
DD FORM 1423-1, AUG	OR (EC)		PREVIOUS EDITION MAY B		7	Page _	nf	Pages

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense. Weshington Headquesters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suite 1204, Arisngton, VA 22202-4302. Respondents should be sweet that notwithstanding any other provision of lew, no person shall be subject to any penetry for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please 00 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Risted in Block £.

to the dovernment restend on		71 110. NO 100 HI DIO								.  .
A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	•	C. CATEGORY:	OTUED	X				
A AVATEL 1977		<u> </u>	r coursions		F, CONTRA		<u> </u>			1
D. SYSTEM/ITEM SMM	IS, AN/MSC-77		E. CONTRACTIPI	n mU.	r, comina	IV: UN				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		l		3. SUBTITLE	·				17. PRICE GROU
C003		Reques	t For Waiver			Configuration Ma	nageme	nt		
4. AUTHORITY (Data Acquir			6. CONTRACT REFER			A. REQUIRING OFFICE				18. ESTIMATED
DI-	CMAN-80641B			SOW 3.9		MCLB	A (825)			1
7. OD 230 REQ	2. DIST STATEMENT REQUIRED	16. FREQUENC		12. DATE OF FIRST SUBMISS		14. DISTRIBUTION	-			
LT		L	SREQ	SEE BLK	16			b, COPIES		
S. APP CODE		11. AS OF DAT	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. AODRESSÉE	Dreft		nal _	1
	A					> (OI D.4. (OOE O)		Reg 1	Repro	
10. REMARKS						MCLBA (825-2)	0	<u>r</u>	0	1
	ctor format is aut					<del> </del>				' 
Blks 10 & 12 nonconformin	RFWs shall be s g material which	ubmitted does not i	to obtain aut meet prescrib	horization to delived configuration	er					
				ithin 30 calendar o						
	submitted on a 3									
Distribution S	tatement A: App	roved for	public releas	e, distribution is a	ınlimited					1
	11		•	r						1
										1
							+			1
										1
										[ <sup> </sup>
										]
										<b> </b>
,								-		<b>!</b>
·							-	-		<b> </b>
•							+		<del>                                     </del>	
							1	<u> </u>		
										11
										1
								_		
							_	ļ. —	<del>}</del>	
								<del> </del>		i
								-	<del>                                     </del>	1
							+	<del>                                     </del>		
							-	1	1 -	1
										1'
								<u> </u>		]
· ·										1.
								1	<b> </b>	1.
:								<b>_</b>	-	<b>-</b> 1'
								1	-	<b>-  </b>
	<b></b> .		41 5-4	1 ARRANAMA	DV	15. TOTAL	<u>▶ 0</u> J. DA1		0	<b>{</b>
G. PREPARED BY	2 1		H. DATE	I. APPROVED	0.	rueis	J. DAI	E		1'
	. (.)/	•	1	59 0	WSE	ruey	24	VII	199	
DD FORM 140	L AUC DE (EC)	2	11211	PREVIOUS EDITION MAY E	E LISED	<del></del>	Page	of	Page	ا س \$
DD FURM 1423	l-1, AUG 96 (EG)		0	FUERIOUS EDITION MATE	AC OMEN'	Design	ed using Perform			

		Panaga	-Calcia Carra	- DA DAM 731	9-750 and	719.75	t the propon	ent agency is DC	SLOG	
I. ORGANIZ	ATION	ror use	of this form, se	EDA FAM 13	3-730 #110	2. NOMEN	CLATURE and N	AODEL		
2. REGISTR	ATIONSERIA	ZNSN	4s. MILES	4b. HOURS	4c. ROUN FIREI	•	4d. HOT STAIRTS	5. DATE	6 TYPE	INSPECTION
7. TM NUMBE			7.4	APPLICAS M DATE	LE REFERI	ENCES TM NUM	BES		TM DAT	E
IM NUMBE			],	MUNIU						
COLUM	IN b - Enter	TM number.					liste MN c - Indi		·	or shortcoming
COLUM	IN c - Enter	deficiencies en	anoncomings.			A MAI		nis column.		
dentity in the		iciency in the ec			ATUS S	AWROL	ONAL "O".	Indicates a mater	iel defect other t	han a deficiency
inoperative CIRCLE	status. D "X" - Ind	icated a deficier	ey, however, th	e equipment m	ay be	which complet	must be con	rected to increase rviceable.	efficiency or to i	make the item  INK, OR PENCIL -
prescribed prescribed	locally, unt	il the corrective	action can be a	ecomplished.	#2			atisfactory condi		,,,,,
component	t replacement not been a	SH "(-)" - Indicant, maintenance ccomplished, or	operation check an overdue MV	c, or test flight i	n			Status symbols w		_
İ	VLL	N ACCORDAN	CE WITH DIAG	GNOSTIC PRO	CEDUR	ES AND	STANDARI	S IN THE TM C	ITED HEREON	•
BA SIGNAT		performing inspects		8b. TIMB			latnumanca Super		Pb. TIME	10. MANHOURS REQUIRED
TM ITEM NO.	STATUS	DEF	ICTENCIES AND SI	IORTCOMINGS	!		со	ENITIAL WHEN CORRECTED		
*	<b>b</b> .		<u> </u>			-		<u> </u>		ę
						<u> </u>				
	<u> </u>			<u> </u>		-	<u> </u>			<u> </u>
						<u> </u>		·	<u></u>	<u> </u>
								<u></u>		
				· · · · · · · · · · · · · · · · · · ·		<del>                                     </del>				
<b></b>										
						<b> </b>				
1		1				1				

DA PORM 2404 1 APR 79 Procedus edition of 1 Jan 84, which will be used

#### INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735-11.2/NAVSUPINST 4440.127E/AFR 400-54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67-7/MCO 4140.1B, Processing Discrepancy Reports Against Foreign Military Sales Shipments.

REPORT OF DISCREPANCY (ROD)						_			
				1. DATE OF PREPARAT	TION	2. REPOR	RT NUMBER		
SHIPPING	PACKAGING								
3. TO (Name and address, include ZIP Code)				4. FROM (Name and add	ress, include :	ZIP Code)			
5a. SHIPPER'S NAME				56. NUMBER AND DAT	E OF INVOIC	1	SPORTATION E		NUMBER
						]` ` `	, , ,		
7a. SHIPPER'S NUMBER (Purchase Order/Shipment, Contract, etc.)	7b. OFFICE ADM	INISTERING	CONTRAC	r		8. REQUISITI Purchase Requ	ONER'S NUME est, etc.)	BER (Requisit	ion,
9. SHIPM	I ENT, BILLING, ANI	RECEIPT I	DATA		10.	DISCRE	PANCY DATA		11.
NSN/PART NUMBER AND NOMENCLATURE	)	UNIT OF	QUANTI SHIPPEI	D/ RECEIVED	QUAN- TITY	UNIT PRICE	TOTAL COST	CODE	AC- <sup>2</sup> TION
(a)		ISSUE (b)	BILLEC (c)	(d)	(a)	(b)	(c)	(d)	CODE
12. REMARKS (Continue on separate sheet of p	namer if macassary)								
	paper y necessary)								
		ANCY CODE	ES				2 ACTION	CODES	·····
CONDITION OF MATERIAL C1 - In condition other than that indicated release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, improper or without aut (Only when receipt cannot be proper MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt O2 - Quantity in excess of that requested unit of issue pack) O3 - Quantity duplicates shipment PACKING DISCREPANCY P1 - Improper preservation P2 - Improper marking P3 - improper marking P4 - Improper unitization  13. FUNDING AND ACCOUNTING DATA	1 DISCREPA d on hority rly processed t document t (Other than	PRODUCT ( Q1 - Defice FMS SHORTAGE S1 - Quan S2 - Quan S2 - Quan S3 - Non- ITEM TECH T1 - Missi T2 - Illegii T3 - Preca T4 - Inspe T5 - Servii T6 - Warrr WRONG ITI Item 9 abov W1 - Inco W2 - Unav	QUALITY DE cient material shipments!  OF MATERI tity less that tity less that tity less that tity less that material shipments!  receipt of parameters of parameters and parameters of p	(Applicable to Grant Ail AL In that on receipt docume In that requested (Other Incel post shipments In MARKINGS (i.e., Namelooks, Special Instruction	ent then unit e Plates, Log ns, etc.) ng	### (#################################	2 ACTION sposition instrueply on reverse aterial being ret apporting suppliquested aterial still requipment (Not apposition instrue) a received with a received with a received with a requisition in the arequisitioned a action require a requisition require	actions required (See a y document value) and comment value of the comment value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required of the comment required of the comment required of the comment value of	remarks) ation e e eMS) returned e contrary Reply on MS) sted (Not m to be
C1 - In condition other than that indicated release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, improper or without aut (Only when receipt cannot be proper MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that on receipt O2 - Quantity in excess of that requested unit of issue pack) O3 - Quantity duplicates shipment PACKING DISCREPANCY P1 - Improper preservation P2 - Improper packing P3 - Improper unitization	1 DISCREPA d on hority rly processed) t document i (Other than	PRODUCT ( Q1 - Defice FMS SHORTAGE S1 - Quant S2 - Quant S2 - Quant S3 - Non- S4 - Missi T2 - Illegit T3 - Preca T4 - Inspe T5 - Servit T6 - Warra WRONG ITI Item 9 abov W1 - Incol W2 - Unad OTHER DIS Z1 - See r	QUALITY DE ient material shipments!  • OF MATERITY less than tity less than the second of partial pands of the second data meability operating than titonary operating the second data meability operating the second data misem tity data misem tity and titonary operating the second data misem tity and titonary operating the second data misem titonary operating the second data misematical data m	(Applicable to Grant Air AL In that on receipt docume In that requested (Other In that requested (Other In that requested (Other In that requested (In that requested (In that requested (In that requested (In the In  ent than unit e Plates, Log ins, etc.) ng scomplete earate copy li	### (#################################	sposition instrueply on reverse aterial being ret apporting suppliquested aterial still requipment (Not apposition instrues excessed (Not app placement ship plicable to FMS) eshipment not requisitioned or action require	actions required (See a y document value) and comment value of the comment value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required. Ite value of the comment required of the comment required of the comment required of the comment value of	remarks) ation e e eMS) returned e contrary Reply on MS) sted (Not m to be ion only.	

STANDARD FORM 364 (REV. 2-80) (EG)
Prescribed by GSA FPMR 101-26.8

16. FROM:		17. DISTRIBUTION ADDRESSEES FOR COPIES						
				•				
18. TO:								
•			•	this docur address, starting o the left d must NO dot. Add	low envelope to mail ment. Insert name and including ZIP Code, ne typing space below ot. Each address line I extend beyond right dress must not exceed a space typing lines.			
	WITH NOTICE OF	DISC	REPANCY ON	FACE OF THIS FO	RM:			
a. MATERIAL DOCUMENT NU HAS WILL SHIPPED	JMBER	b. [	NO RECORD	O OF SHIPMENT. RES	SUBMIT REPORT TO RIATE REGULATION.			
c. AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A:  CREDIT	DEBIT	đ.	INVOICE/BIL ATTACHED	L e. PRO	OF OF DELIVERY (Parcel Post oments) OR EVIDENCE OF PMENT ENCLOSED.			
AN ADJUSTMENT IN BILLING FOR THE REPORTED INDICATED REGULATION.	D DISCREPANCY WILL	NOT	BE PROCESSED	FOR THE FOLLOWIN	G REASON WHICH IS CITED IN THE			
(1) REASON FOR NOT PROCESSING	i	(2)			REGULATION			
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE ALLOWED AND/OR	TIME FRAMES		DEFICIENCIE	OF THE GSA HANDB S IN GSA OR DOD S PMR 101-26.8)	OOK, DISCREPANCIES OR HIPMENTS, MATERIAL, OR			
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA IN THE REGULATION OR AGREEMENT INDICATED IN			BILLING SYS	D/OR 7 OF DOD 400 STEM (MILSBILLS) AN TANCE, AS APPLICA	0.25-7-M, MILITARY STANDARD ID/OR DD 1513, U.S. DOD OFFER BLE.			
20. THE FOLLOWING D	ISPOSITION IS TO	BE M	ADE OF THE R	EFERENCED MATE	RIAL:			
a. PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. REPRESENT	ATIVI	WILL CALL FOR	R DISCUSSION				
c. RETAIN MATERIAL AT NO CHARGE.	d. MATERIAL	WILL	BE PICKED UP IN	<b>!:</b>	DAYS			
e. SHIP MATERIAL (Specify location):								
(1) GBL APPROPRIATION CHARGEABLE:			<del></del>					
(2) CHARGES COLLECT - VIA: FREIG	(4) EXPRESS		PARCEL PO	NOTE: Please	postage advanced herewith. enclose postage. Material rned Parcel Post collect.)			
f. OTHER (Specify)			-					
21. IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION			VITH SATISFACT	TORY MATERIAL	DATE			
23. REMARKS (Continue on separate sheet of paper if necessary)	<del> </del>			<del></del>				
24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL	24b. SIGNATURE				24c. DATE			
	1							